

IPC Integrated Professional Cleaning



IPC Portotecnica

G Power

Cold water cleaners




IPC NEW PROFESSIONAL PUMP



New professional pump designed to grant long life components for professional applications too.

MOTOR

Two-pole continuous duty electric induction motor (2800 rpm) with thermal cut-out. Maintenance free.



OIL TANK

Pump-oil tank which allows oil to be changed after long time intervals.



GAUGE

Professional gauge to constantly check the working pressure.

TOTAL STOP

TST Remote Total-Stop control shuts down the machine when the water gun is turned off, saving energy.

● Reinforced long life bearings to ensure a long life of the pump.



● Ceramic coated pistons: high resistance to wearing.

● Professional accessories connection.

● Long life textile/bronze seals.

● Brass pump head, perfect solidity.

EASY TO STORE



HOSE REEL

Professional standard hose reel in which it is possible to place the hose in a simple and rapid way in order to protect the hose from every damage.



HANDGRIP: EASY TO CLOSED

In just two simple movements, it is possible to open and close the handgrip to place the machine occupying the minimum space.

LARGE AUTONOMY



TWO TANKS

Thanks to the particular chemical injection system and to two tanks fitted in this machine, two different

detergents can be delivered in the correct quantities. Delivery of the chemical product can be easily checked from the lance. The tanks are removable for an easy and rapid filling. The chemical level is always under control thanks to the transparency of the plastic material which characterizes it.

PROFESSIONAL DETAILS



ELECTRIC CABLE REEL

Thanks to electric cable reel, it is possible to place the feeding cable whenever the working is finished.



STARTING HANDGRIP

The starting handgrip, the detergent tap and the inlet water connection are placed on the front of machine.



DETERGENT HANDGRIP

Thanks to this handgrip we can select the type of detergent to be used from one of the two tanks. It is also possible to modulate the careful quantity of detergent to be delivered.



BLOCK HOSE SYSTEM

With a simple lever placed next to the hose reel, we can block the hose at the desired length.



STRONG STRUCTURE

Strong structure that is resistant to attacks, thermal shocks, atmospheric agents and chemical corrosion.



HOLDING ACCESSORIES

Useful and comfortable accessories gloves for gun, lance, lance with rotating nozzle to have them ready to be used.

DESIGN



HANDLE

Ergonomic design of handle for an easy and comfortable transport.



WHEELS

The wheels with a big diameter, large outrider and big frontal feet make the machine steadier and easy to be transported.



COVER

Cover with a modern and winning design moulded in plastic material.

NEW PROFESSIONAL STANDARD EQUIPMENT

Professional standard equipment with M22 screw metal couplings. • New handgrip with EPT system and SWIVEL joint to prevent hose twisting. • 12 m H.P. hose with screw coupling. • Vario-press lance: Flat spray lance to adapt the pressure to the surfaces to be cleaned thanks to the continuous regulation (from high low pressure) with detergent supply which comes up after simply rotating the lance. • Rotating nozzle. • Hose reel.



TECHNICAL DATA

Code	IDAF92189	IDAF92192
Model	G 150 X POWER	G 190 X POWER
Remote control	total stop	total stop
Pressure - bar	150	180
Volume - l/h	600	750
Inlet water max temperature - C°	60	60
Voltage - Ph-V-Hz	1 ~ 230V ~ 50Hz	1 ~ 400V ~ 50Hz
Absorbed power - W	3000	5000
RPM	2800	2800
Dimensions - LxPxH	46 x 35 x 93	46 x 35 x 93
Weight - Kg	25,5	34,5



IPCPortotecnica

Viale Treviso, 63 - 30026 – Summaga di Portogruaro (VE) Italia
 Tel. +39.0421.205511 (r.a.) - Fax +39.0421.204227
 Internet address: www.ipcportotecnica.com
 E-mail address: infoipcportotecnica@ipcleaning.com