

RMH

When Innovation & Nature Combine



VSL 14,16,18



VSL 14,16,18 BENEFITS

Self propelled, self loading mixer

THE FASTEST CHOPPER IN THE WORLD

that boasts the advantage of maintaining fibre structure for all your roughage



UNIFORMITY

The mix is homogenous and consistent every time



CLAMP FACE MANAGEMENT

One step operation, reduces dry matter losses of forages & uniform loading.



LOADING ALL FEED TYPES WITH HIGH ACCURACY



EASY ACCESS TO ENGINE FOR SERVICING



SAVE COST AND TIME

Loading, mixing, transporting and discharge all with one machine



FEATURES



The VSL range is specifically designed for lower farm buildings. With three sizes of mixer available, this range is flexible enough to be able to feed small to medium size farms. The mixers have all the attributes of its larger VS family, but they are lowered in height by a modified chassis. The unloading doors are situated in the front corners of the tub with a short conveyor and/or elevator. The VSL mixers still have the large lorry-type wheels for rough terrain and road work.

STANDARD SPECIFICATION

Trailer Model	Volume	Dimensions (M)			HP
	M ³	Height	Length	Width	
VSL 14	14	2.80	7.06	2.50	208
VSL 16	16	3.00	7.06	2.50	208
VSL 18	18	3.20	7.06	2.50	208



The company reserves the right to make alterations which may affect the above specifications

RMH

When Innovation & Nature Combine



RMH - TMR

RMH

www.rmhmixer.com

Industrial Zone Sderot
P.O.B 105, 80100, Israel
Tel : 972-8-6891121
Fax : 972-8-6899147
Email : sales@lachish.com